

# Safety Data Sheet

## 1. Identification

Product Identifier :	BWC 13
Recommended Uses :	Bottle Cleaner
Supplier :	CP Industries Ltd. P.O. Box 300 535 Dickson Drive Fergus, Ontario N1M 2W8

Emergency Telephone : (613) 996-6666 (CANUTEC)

#### 2. Hazard Identification

Product Classifications :	Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation	Category 1 Category 1
Symbols :		
Signal Word :	Danger	
Hazard Statements :	Causes severe skin burns and eye damage.	
Precautionary Statements :	5	

# 3. Composition/Information on Ingredients

Hazardous Ingredients :

Chemical Name	CAS Number	Concentration (% w/w)
Sodium hydroxide	1310-73-2	30 - 60

#### 4. First Aid Measures

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CONTROL CENTRE or doctor.

IF ON SKIN (or hair): Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Immediately call a POISON CONTROL CENTRE or doctor.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CONTROL CENTRE or doctor.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CONTROL CENTRE or doctor.

#### Symptoms of Acute Exposure :

Eye contact :	Burns, redness, watering, pain, loss of vision.
Skin contact :	Severe burns, redness, itching, swelling, damage to underlying tissues.
Ingestion :	Burns, irritation and swelling to mouth, throat and stomach.
Inhalation :	Burns to nose, throat and respiratory tract. Coughing, difficulty breathing
	and/or shortness of breath.

## 5. Fire Fighting Measures

Suitable Extinguishing Media :	As for surrounding fire. Suitable materials include dry chemical, carbon dioxide, and alcohol-resistant foam.
Unsuitable Extinguishing Media :	Do not use water spray.
Specific Hazards and Combustion Products :	Non-combustible. Contact with soft metals forms flammable hydrogen gas. Contact with water releases heat. If in a fire or heated, container may experience a pressure rise and rupture. During fire, gases hazardous to health may be formed. Combustion products include oxides of carbon.
Protective Equipment and Precautions	
for Firefighters :	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Move containers from fire area if possible without risk. Keep containers cool with water spray. Collect contaminated fire extinguishing water and other media separately.

#### 6. Accidental Release Measures

Personal Precautions :	Immediately evacuate personnel to safe areas. Wear appropriate personal protective equipment (See Section 8: Exposure controls / Personal protection). Only trained and properly protected personnel must be involved in clean-up operations. Material may create slippery conditions.
Containment and Clean Up :	Stop leak if it is safe to do so. Dike spilled material, where possible. Absorb with suitable inert dry material such as absorbent clay and place into closed containers for disposal. Avoid dispersal of spilled material or contact with soil or entry into waterways, sewers and drains. Dispose of contents/containers according to local, provincial, and federal regulations. Following product recovery, flush area with water.

#### 7. Handling and Storage

Handling : Avoid contact with skin, eyes, and clothing. Use personal protective equipment as required (See Section 8: Exposure controls / Personal protection). Wash thoroughly after handling.
Storage : Keep away from incompatible materials (See Section 10: Stability and Reactivity). Keep away from soft metals and strong acids. Store in a cool, dry, well-ventilated place. Keep container tightly closed when not in use. Store locked up.

## 8. Exposure Controls/Personal Protection

Control Parameters :

Chemical Name	CAS Number	Value type	Permissible Concentration	Basis
Sodium hydroxide	1310-73-2	TLV-TWA	2 mg/m <sup>3</sup>	ACGIH
Engineering Controls : Personal Protection :	Ensure adequate ventilation.			
Eye/Face :	Safety glasses or chemical splash goggles, and face shield.			
Skin : Respiratory :	Chemical-resistant protective gloves. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA			
Other :	approved respiratory protection should be worn. Long pants and long sleeved shirt. Rubber boots and rubber apron as necessary.			

## 9. Physical and Chemical Properties

Appearance :	Clear, colourless liquid
Odour :	Not available
Odour Threshold :	Not available
рН :	13 - 14
Freezing Point :	Not available

Boiling Point :	Not available
Flash Point :	Not available
Evaporation Rate :	Not available
Flammability :	Not available
Lower Flammability Limit :	Not available
Upper Flammability Limit :	Not available
Vapour Pressure :	Not available
Vapour Density :	Not available
Relative Density :	1.49
Solubility :	Complete in water
Partition Coefficient :	Not available
Auto-ignition Temperature :	Not available
Decomposition Temperature :	Not available
Viscosity :	Not available

# 10. Stability and Reactivity

Reactivity :	With incompatible materials. Contact with soft metals forms flammable hydrogen gas.
Chemical stability :	Chemically stable.
Hazardous reactions :	With incompatible materials. Polymerization not expected to
	occur.
Conditions to avoid :	Avoid incompatible materials.
Incompatible materials :	Strong acids, soft metals.
Hazardous decomposition products :	Not applicable.

# **11. Toxicological Information**

Routes of Exposure : Eye contact : Skin contact : Ingestion : Inhalation :	Causes serious eye damage. Causes severe skin burns. Causes burns to mouth, throat and stomach. Causes burns to nose, throat and respiratory tract.	
Symptoms of Acute Exposure	2:	
Eye contact :	Burns, redness, watering, pain, loss of vision.	
Skin contact :	Severe burns, redness, itching, swelling, damage to underlying tissues.	
Ingestion :	Burns, irritation and swelling to mouth, throat and stomach.	
Inhalation :	Burns to nose, throat and respiratory tract. Coughing, difficulty breathing and/or shortness of breath.	
Chronic Effects :	None known.	
Calculated Acute Toxicity Estimates		
Oral :	4,500 – 5,000 mg/kg	
Dermal :	3,000 – 3,500 mg/kg	
Inhalation :	Not available.	

# **12. Ecological Information**

Not available.

#### **13.** Disposal Considerations

Dispose of contents/container according to local, provincial and federal regulations.

#### **14. Transportation Information**

For transportation in a road vehicle or a railway vehicle :

UN Number:	1824
Shipping Name :	SODIUM HYDROXIDE SOLUTION
Class :	8
Subclass :	
Packing Group :	II
Limited Quantity :	1L or less

#### **15. Regulatory Information**

Not available.

**TDG Classification :** 

# **16. Other Information**

SDS Revision Date : December 4, 2017