

# Safety Data Sheet

### 1. Identification

Product Identifier: Descaler LFP

Recommended Uses: Descaler

Supplier: CP Industries Ltd.

P.O. Box 300 535 Dickson Drive Fergus, Ontario N1M 2W8

Emergency Telephone: (613) 996-6666 (CANUTEC)

### 2. Hazard Identification

Product Classifications : Skin Corrosion/Irritation Category 2

Serious Eye Damage/Eye Irritation Category 1

Symbols:



Signal Word : Danger

Hazard Statements: Causes skin irritation.

Causes serious eye damage.

Precautionary Statements: Wear protective gloves and eye protection.

Wash thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CONTROL CENTRE or doctor.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash it

before reuse.

Descaler LFP Page 1 of 5
Revision Date: May 23, 2018 Revision Number: 001

## 3. Composition/Information on Ingredients

#### Hazardous Ingredients:

Chemical Name	CAS Number	Concentration (% w/w)	
Urea hydrochloride	506-89-8	7 – 13	

### 4. First Aid Measures

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CONTROL CENTRE or doctor.

IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs, get medical attention.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get medical attention if you feel unwell.

IF INHALED: Remove person to fresh air. Get medical attention if you feel unwell.

Symptoms of Acute Exposure:

Eye contact: Burns, redness, watering, pain, loss of vision.

Skin contact: Irritation, redness, itching.

Ingestion: Irritation to mouth, throat and stomach.

Inhalation: Irritation to nose, throat and respiratory tract.

### 5. Fire Fighting Measures

Suitable Extinguishing Media : As for surrounding fire. Suitable materials include water

spray, dry chemical, carbon dioxide, and alcohol-

resistant foam.

Unsuitable Extinguishing Media: Not available.

Specific Hazards and Combustion Products: Non-combustible. If in a fire or heated, container may

experience a pressure rise and rupture. During fire, gases hazardous to health may be formed. Combustion products include oxides of carbon, oxides of nitrogen,

hydrogen chloride.

**Protective Equipment and Precautions** 

for Firefighters : As in any fire, wear a self-contained breathing apparatus

in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Move containers from fire area if possible without risk. Keep containers cool with water spray. Collect contaminated fire extinguishing water and other media separately.

Descaler LFP Page 2 of 5
Revision Date: May 23, 2018 Revision Number: 001

### 6. Accidental Release Measures

Personal Precautions: Immediately evacuate personnel to safe areas. Wear appropriate

personal protective equipment (See Section 8: Exposure controls / Personal protection). Only trained and properly protected personnel must be involved in clean-up operations. Material may create slippery

conditions.

Containment and Clean Up: Stop leak if it is safe to do so. Dike spilled material, where possible.

Absorb with suitable inert dry material such as absorbent clay and place into closed containers for disposal. Avoid dispersal of spilled material or contact with soil or entry into waterways, sewers and drains. Dispose of

contents/containers according to local, provincial, and federal regulations. Following product recovery, flush area with water.

### 7. Handling and Storage

Handling: Avoid contact with skin, eyes, and clothing. Use personal protective equipment as

required (See Section 8: Exposure controls / Personal protection). Wash thoroughly

after handling.

Storage: Keep away from incompatible materials (See Section 10: Stability and Reactivity).

Keep away from strong bases, hypochlorites and chlorine-releasing compounds. Store in a cool, dry, well-ventilated place. Keep container tightly closed when not in

use.

### 8. Exposure Controls/Personal Protection

#### **Control Parameters:**

Chemical Name	CAS Number	Value type	Permissible Concentration	Basis
Urea hydrochloride	506-89-8	TLV	Not established	

Engineering Controls : Ensure adequate ventilation.

Personal Protection:

Eye/Face : Safety glasses or chemical splash goggles. Skin : Chemical-resistant protective gloves.

Respiratory: If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA

approved respiratory protection should be worn.

Other: Long pants and long sleeved shirt.

Descaler LFP Page 3 of 5
Revision Date: May 23, 2018 Revision Number: 001

# 9. Physical and Chemical Properties

Appearance: Clear, pale yellow liquid

Odour : Not available
Odour Threshold : Not available

pH: 0-2

Freezing Point: Not available **Boiling Point:** Not available Flash Point: Not available **Evaporation Rate:** Not available Flammability: Not available Lower Flammability Limit: Not available Upper Flammability Limit: Not available Vapour Pressure : Not available Vapour Density: Not available

Relative Density: 1.04

Solubility: Complete in water
Partition Coefficient: Not available
Auto-ignition Temperature: Not available
Decomposition Temperature: Not available
Viscosity: Not available

### 10. Stability and Reactivity

Reactivity: With incompatible materials. Contact with hypochlorites and

chlorine-releasing compounds forms toxic chlorine gas.

Chemical stability: Chemically stable.

Hazardous reactions: With incompatible materials. Polymerization not expected to

occur.

Conditions to avoid: Avoid incompatible materials.

Incompatible materials: Hypochlorites and chlorine-releasing compounds, strong bases.

Hazardous decomposition products: Not applicable.

## 11. Toxicological Information

Routes of Exposure:

Eye contact : Causes serious eye damage. Skin contact : Causes skin irritation.

Ingestion: Causes irritation to mouth, throat and stomach.

Inhalation: Causes irritation to nose, throat and respiratory tract.

Symptoms of Acute Exposure:

Eye contact: Burns, redness, watering, pain, loss of vision.

Skin contact: Irritation, redness, itching.

Ingestion: Irritation to mouth, throat and stomach.
Inhalation: Irritation to nose, throat and respiratory tract.

Descaler LFP Page 4 of 5

Revision Date: May 23, 2018 Revision Number: 001

Chronic Effects: None known.

**Calculated Acute Toxicity Estimates** 

Oral : >10,000 mg/kg
Dermal : >10,000 mg/kg
Inhalation : Not available.

# 12. Ecological Information

Not available.

# 13. Disposal Considerations

Dispose of contents/container according to local, provincial and federal regulations.

## 14. Transportation Information

For transportation in a road vehicle or a railway vehicle:

TDG Classification : Not Regulated.

# 15. Regulatory Information

Not available.

## 16. Other Information

SDS Revision Date: May 23, 2018

Descaler LFP Page 5 of 5
Revision Date: May 23, 2018 Revision Number: 001